

News 2020 Sanitary

HEWI

System 900 | Dispenser products, accessories
System 900 | Removable hanging seats with armrests
Universal products
Fittings in stainless steel look
Range 801 | Mobile solutions, backrests
Range 805 Classic | Mobile solutions, backrests



HEWI Hotline

Monday – Thursday between 7 am and 5 pm
Friday between 7 am and 3 pm
Tel.: +49 5691 82-0
Fax: +49 5691 82-319
eMail: international@hewi.com

System 900 2

Dispenser products	3 – 8
Accessories	9 – 12
Removable hanging seats w. armrests	13 – 18

Universal products 19

Waste bins	20
Hygiene bag dispensers	21
Paper tissue dispensers	21
Cosmetic mirrors	22
Hair-dryers	23
Side trolley	23
Hand showers, shower hoses	24 – 26

Fittings 32

Single lever washbasin mixer taps	33
Electronic washbasin fittings	34
Spare parts, accessories	35

Range 801 36

Mobile hinged support rails	36 – 45
Ordering aid	60 – 61
Backrests	46 – 49
Product sets shower rails	27 – 31

Range 805 Classic 50

Mobile hinged support rails	50 – 55
Backrests	56 – 59
Ordering aid	60 – 61

General information 62

International terms of sale	62 – 63
-----------------------------	---------



System 900

Dispenser products



Item Number


Dimensions in mm / Specification



HEWI Soap dispenser

- to be filled with standard liquid soap
- with inner container for free filling, capacity 600 ml
- inner container can be removed for cleaning, side level indicator
- for wall mounting, locking system as protection against misuse
- 102 mm wide, 270 mm high and 98 mm deep
- made of high-quality stainless steel
- satin finished
- powder-coated in the HEWI colours DX (matt white), AY (matt light grey pearl mica), SC (matt dark grey pearl mica) and DC (matt black)


HEWI SENSORIC

HEWI SENSORIC


HEWI SENSORIC Soap dispenser

- to be filled with standard liquid soap
- with inner container for free filling, capacity 500 ml
- inner container can be removed for cleaning, side level indicator
- non-contact soap dispensing, with battery change indicator
- for wall mounting, locking system as protection against misuse
- 102 mm wide, 270 mm high and 98 mm deep, maintenance-free
- batteries (AA 1,5 V/4 pcs.) not included in delivery
- made of high-quality stainless steel

- satin finished
- powder-coated in the HEWI colours DX (matt white), AY (matt light grey pearl mica), SC (matt dark grey pearl mica) and DC (matt black)

HEWI SENSORIC Foam soap dispenser

- do., to be filled with standard foam soap
- satin finished
- powder-coated in the HEWI colours DX (matt white), AY (matt light grey pearl mica), SC (matt dark grey pearl mica) and DC (matt black)

HEWI SENSORIC Disinfectant dispenser


- do., to be filled with standard disinfectant
- satin finished
- powder-coated in the HEWI colours DX (matt white), AY (matt light grey pearl mica), SC (matt dark grey pearl mica) and DC (matt black)

HEWI Surfaces

- ...60 DX** matt white
XA **...60 AY** matt light grey pearl mica
...60 SC matt dark grey pearl mica
...60 DC matt black

Item Number

Dimensions in mm / Specification




900.06.009XA
900.06.00960



HEWI Paper towel dispenser

- to hold standard paper towels with different folds in the width 235 - 250 mm and folded length / depth of 80 - 110 mm (HEWI recommends paper towels with Z-fold)
- capacity approx. 300 - 450 paper towels
- side level indicator
- locking system as protection against misuse
- 260 mm wide, 350 mm high and 140 mm deep
- for wall mounting
- made of high-quality stainless steel
- satin finished
- powder-coated in the HEWI colours DX (matt white), AY (matt light grey pearl mica), SC (matt dark grey pearl mica) and DC (matt black)



Available from 1st July 2020

900.06.010XA
900.06.01060



HEWI Electronic paper roll dispenser


- to hold standard paper rolls with external unwinding, max. roll width 210 mm, max. roll diameter 200 mm, sleeve diameter 38 mm
- side level indicator, easy paper roll replacement
- with battery change indicator
- automatic paper output at the washbasin after the paper has been torn off, integrated tear-off edge
- locking system as protection against misuse, maintenance-free
- 284 mm wide, 405 mm high and 210 mm deep
- for wall mounting
- made of high-quality stainless steel
- including non-corrosive HEWI fixing material
- batteries (D-Mono-LR20-1,5 V/4 pcs.) not included in delivery
- convertible to mains connection 950.06.E01
- satin finished
- powder-coated in the HEWI colours DX (matt white), AY (matt light grey pearl mica), SC (matt dark grey pearl mica) and DC (matt black)

Item Number

Dimensions in mm / Specification



900.05.001XA
900.05.00160





HEWI Wastepaper bin

- capacity approx. 25 l
- invisible, integrated bag holder with pull-out function for easy insertion and removal of the bag
- 260 mm wide, 500 mm high and 203 mm deep
- for wall mounting
- made of high-quality stainless steel
- satin finished
- powder-coated in the HEWI colours DX (matt white), AY (matt light grey pearl mica), SC (matt dark grey pearl mica) and DC (matt black)



900.05.002XA
900.05.00260



HEWI Wastepaper bin

- do., with lid
- satin finished
- powder-coated in the HEWI colours DX (matt white), AY (matt light grey pearl mica), SC (matt dark grey pearl mica) and DC (matt black)

HEWI Surfaces


-   **...60 DX** matt white
- XA**  **...60 AY** matt light grey pearl mica
-  **...60 SC** matt dark grey pearl mica
-  **...60 DC** matt black

Item Number

Dimensions in mm / Specification



900.05.003XA
900.05.00360




HEWI Wastepaper bin

- capacity approx. 60 l
- invisible, integrated bag holder with pull-out function for easy insertion and removal of the bag
- 340 mm wide, 620 mm high and 263 mm deep
- for wall mounting
- made of high-quality stainless steel
- satin finished
- powder-coated in the HEWI colours DX (matt white), AY (matt light grey pearl mica), SC (matt dark grey pearl mica) and DC (matt black)



900.05.004XA
900.05.00460



HEWI Wastepaper bin


- do., with lid
- satin finished
- powder-coated in the HEWI colours DX (matt white), AY (matt light grey pearl mica), SC (matt dark grey pearl mica) and DC (matt black)

Item Number

Dimensions in mm / Specification




900.05.000XA
900.05.00060



HEWI Waste bin

- detachable, capacity approx. 6 l
- lid can be opened by lightly pressing the knee against the bin, with soft-close
- with sticker to explain operation by knee
- invisible, integrated bag holder
- only suitable for wall mounting
- 205 mm wide, 310 mm high and 145 mm deep
- made of high-quality stainless steel
- satin finished
- powder-coated in the HEWI colours DX (matt white), AY (matt light grey pearl mica), SC (matt dark grey pearl mica) and DC (matt black)



HEWI Hygiene waste bin

- capacity approx. 6 l, for wall mounting
- invisible, integrated bag holder with pull-out function for easy insertion and removal of the bag
- lid with lifting tab
- 160 mm wide, 290 mm high and 140 mm deep
- made of high-quality stainless steel

- satin finished
- powder-coated in the HEWI colours DX (matt white), AY (matt light grey pearl mica), SC (matt dark grey pearl mica) and DC (matt black)

HEWI Hygiene combination

- do., with integrated holder for standard hygiene bags made of synthetic material (max. pack size L 130 x W 90 x H 20 mm)
- satin finished
- powder-coated in the HEWI colours DX (matt white), AY (matt light grey pearl mica), SC (matt dark grey pearl mica) and DC (matt black)



900.05.005XA
900.05.00560


900.05.006XA
900.05.00660

HEWI Surfaces

- ...60 DX** matt white
XA **...60 AY** matt light grey pearl mica
...60 SC matt dark grey pearl mica
...60 DC matt black

Item Number


Dimensions in mm / Specification



Available from 1st July 2020

900.21.001XA
900.21.00160

900.21.E01



HEWI Large toilet roll holder

- for holding a standard large toilet roll in diameters from 250 - 320 mm
- level indicator at the front
- for wall mounting, locking system as protection against misuse
- 330 mm wide, 350 mm high and 145 mm deep
- made of high-quality stainless steel
- tear-off edge made of stainless steel
- extension possible with carousel 900.21.E01
- including non-corrosive HEWI fixing material

- satin finished
- powder-coated in the HEWI colours DX (matt white), AY (matt light grey pearl mica), SC (matt dark grey pearl mica) and DC (matt black)


HEWI Carousel

- for conversion from large toilet roll holder to quadruple toilet roll holder
- optionally available



Available from 1st July 2020

900.06.011XA
900.06.01160



HEWI Hygiene bag dispenser

- holds and dispenses proprietary hygiene bags made of synthetic material (max. package size L 130 x B 90 x H 20 mm)
- for wall mounting
- 136 mm wide, 98 mm high and 27,5 mm deep
- made of high-quality stainless steel
- including non-corrosive HEWI fixing material

- satin finished
- powder-coated in the HEWI colours DX (matt white), AY (matt light grey pearl mica), SC (matt dark grey pearl mica) and DC (matt black)

HEWI Surfaces

- ...60 DX matt white
- ...60 AY matt light grey pearl mica
- ...60 SC matt dark grey pearl mica
- ...60 DC matt black

System 900

Accessories




Item Number

Dimensions in mm / Specification



Available from 1st July 2020

900.09.001XA
900.09.00140
900.09.00160




HEWI Towel rail

- towel rail with a cylindrical holding arm, fixed
- made of high-quality stainless steel
- 445 mm long, 51 mm high, holding arm \varnothing 15 mm
- for wall mounting, concealed fixing
- including non-corrosive HEWI fixing material
- satin finished
- chrome-plated
- powder-coated in the HEWI colours DX (matt white), AY (matt light grey pearl mica), SC (matt dark grey pearl mica) and DC (matt black)



Available from 1st July 2020

900.09.002XA
900.09.00240
900.09.00260



HEWI Towel ring

- closed towel ring, rectangular
- the ring can be swivelled
- made of high-quality stainless steel
- 230 mm wide, 130 mm high, \varnothing 15 mm
- for wall mounting, concealed fixing
- including non-corrosive HEWI fixing material
- satin finished
- chrome-plated
- powder-coated in the HEWI colours DX (matt white), AY (matt light grey pearl mica), SC (matt dark grey pearl mica) and DC (matt black)

Available from 1st July 2020

900.20.020XA
900.20.02040
900.20.02060

HEWI Toilet brush with lid

- Suitable for toilet brush unit 900.20.001... (see right)
- satin finished
- chrome-plated
- powder-coated in the HEWI colours DX (matt white), AY (matt light grey pearl mica), SC (matt dark grey pearl mica) and DC (matt black)


Item Number

Dimensions in mm / Specification



Available from 1st July 2020

900.20.001XA
900.20.00140
900.20.00160




HEWI Toilet brush unit with lid

- consisting of holder, toilet brush container and brush
- brush head can be replaced due to bayonet fixing
- inner container can be removed for cleaning
- made of high-quality stainless steel
- ø 89 mm, 440 mm high, 109 mm deep
- for wall mounting, concealed fixing
- including non-corrosive HEWI fixing material


- satin finished
- chrome-plated
- powder-coated in the HEWI colours DX (matt white), AY (matt light grey pearl mica), SC (matt dark grey pearl mica) and DC (matt black)

HEWI Toilet brush with lid see left



Available from 1st July 2020

900.21.004XA
900.21.00440
900.21.00460



HEWI Toilet roll holder with shelf

- U-shaped holder with shelf, opens to the right
- hinged
- made of high-quality stainless steel
- 135 mm wide, 96 mm high, ø 15 mm
- shelf 135 mm wide, 92 mm deep
- for wall mounting, concealed fixing
- including non-corrosive HEWI fixing material


- satin finished
- chrome-plated
- powder-coated in the HEWI colours DX (matt white), AY (matt light grey pearl mica), SC (matt dark grey pearl mica) and DC (matt black)

HEWI Surfaces

- XA Chr
- ...60 DX matt white
- ...60 AY matt light grey pearl mica
- ...60 SC matt dark grey pearl mica
- ...60 DC matt black

Item Number

Dimensions in mm / Specification




HEWI Toilet roll holder with lid

- U-shaped holder with lid, opened to the right
 - hinged
 - made of high-quality stainless steel
 - 135 mm wide, 110 mm high, ø 15 mm
 - for wall mounting, concealed fixing
 - including non-corrosive HEWI fixing material
- satin finished
 - chrome-plated
 - powder-coated in the HEWI colours DX (matt white), AY (matt light grey pearl mica), SC (matt dark grey pearl mica) and DC (matt black)

Available from 1st July 2020

900.21.005XA
900.21.00540
900.21.00560



HEWI Spare roll holder

- cylindrical spare roll holder for holding two toilet rolls
 - made of high-quality stainless steel
 - 260 mm long, 51 mm deep, ø 15 mm
 - for wall mounting, concealed fixing
 - including non-corrosive HEWI fixing material
- satin finished
 - chrome-plated
 - powder-coated in the HEWI colours DX (matt white), AY (matt light grey pearl mica), SC (matt dark grey pearl mica) and DC (matt black)

Available from 1st July 2020

900.21.006XA
900.21.00640
900.21.00660


HEWI Surfaces

- XA Chr
- ...60 DX matt white
 - ...60 AY matt light grey pearl mica
 - ...60 SC matt dark grey pearl mica
 - ...60 DC matt black

System 900

Removable hanging seats with armrests





900.51.10160

HEWI Removable hanging seat

- for hanging in HEWI shower grab rails and support rails ø 30, 32 and 33 mm
- slip-resistant, textured seat and backrest made of synthetic material in the colour of the suspension device
- reinforcement of seat and suspension device made of aluminium, powder-coated in HEWI colours AS (white matt), CV (black matt) and AF (anthracite grey matt)
- seat can be folded up to save space
- aluminum seat bracket ensures stability and safety
- moulded seat defines the sitting position (lightly curved shape provides pleasant support)
- seat made of thermoplastic synthetic material (polypropylene) enables and extremely resistant, hygienic surface and particularly soft seat comfort
- armrests made of high-quality polyamide in the colour of the suspension device
- armrests can be folded up and down separately
- maintenance-free, permanently smooth and easy moving joint
- weight capacity up to 150 kg
- 596 mm wide, 533 mm high and 526 mm deep
- seat 350 mm wide and 340 mm deep
- product weight: 11,9 kg




Please advise colour when ordering.

HEWI Powder coating | Material combinations with synthetic material

- ☐ **...60 AS** matt white | white synthetic material
- ☒ **...60 AF** anthracite grey matt | anthracite grey synthetic material
- ☐ **...60 CV** matt black | black synthetic material

Item Number

Dimensions in mm / Specification



900.51.10360
HEWI Removable hanging seat

- for hanging in HEWI shower grab rails and support rails \varnothing 30, 32 and 33 mm
- slip-resistant, textured seat and backrest made of synthetic material in the colour of the suspension device
- reinforcement of seat and suspension device made of aluminium, powder-coated in HEWI colours AS (white matt), CV (black matt) and AF (anthracite grey matt)
- seat can be folded up to save space
- aluminum seat bracket ensures stability and safety
- moulded seat defines the sitting position (lightly curved shape provides pleasant support)
- seat made of thermoplastic synthetic material (polypropylene) enables and extremely resistant, hygienic surface and particularly soft seat comfort
- armrests made of high-quality polyamide in the colour of the suspension device
- armrests can be folded up and down separately
- maintenance-free, permanently smooth and easy moving joint
- weight capacity up to 150 kg
- 596 mm wide, 533 mm high and 637 mm deep
- seat 450 mm wide and 450 mm deep
- product weight: 12,7 kg
- fulfils the DIN 18040 and ÖNORM B1600/1601 requirements


900.51.10560
with hygiene cutout

Please advise colour when ordering.





900.51.10760

**HEWI Removable hanging seat
especially for France and Switzerland**

- for hanging in HEWI shower grab rails and support rails ø 30, 32 and 33 mm
- slip-resistant, textured seat and backrest made of synthetic material in the colour of the suspension device
- reinforcement of seat and suspension device made of aluminium, powder-coated in HEWI colours AS (white matt), CV (black matt) and AF (anthracite grey matt)
- seat can be folded up to save space
- aluminum seat bracket ensures stability and safety
- moulded seat defines the sitting position (lightly curved shape provides pleasant support)
- seat made of thermoplastic synthetic material (polypropylene) enables and extremely resistant, hygienic surface and particularly soft seat comfort
- armrests made of high-quality polyamide in the colour of the suspension device
- armrests can be folded up and down separately
- maintenance-free, permanently smooth and easy moving joint
- weight capacity up to 150 kg
- 596 mm wide, 443 mm high and 526 mm deep
- seat 350 mm wide and 340 mm deep
- product weight: 11,6 kg




Please advise colour when ordering.

HEWI Powder coating | Material combinations with synthetic material

- ☐ **...60 AS** matt white | white synthetic material
- ☒ **...60 AF** anthracite grey matt | anthracite grey synthetic material
- ☐ **...60 CV** matt black | black synthetic material

Item Number

Dimensions in mm / Specification



900.51.10960
**HEWI Removable hanging seat
especially for France and Switzerland**

- for hanging in HEWI shower grab rails and support rails \varnothing 30, 32 and 33 mm
- slip-resistant, textured seat and backrest made of synthetic material in the colour of the suspension device
- reinforcement of seat and suspension device made of aluminium, powder-coated in HEWI colours AS (white matt), CV (black matt) and AF (anthracite grey matt)
- seat can be folded up to save space
- aluminum seat bracket ensures stability and safety
- moulded seat defines the sitting position (lightly curved shape provides pleasant support)
- seat made of thermoplastic synthetic material (polypropylene) enables and extremely resistant, hygienic surface and particularly soft seat comfort
- armrests made of high-quality polyamide in the colour of the suspension device
- armrests can be folded up and down separately
- maintenance-free, permanently smooth and easy moving joint
- weight capacity up to 150 kg
- 596 mm wide, 443 mm high and 637 mm deep
- seat 450 mm wide and 450 mm deep
- product weight: 12,4 kg
- fulfils the SIA 500 requirements


900.51.11160
with hygiene cutout

Please advise colour when ordering.





900.51.11360

**HEWI Removable hanging seat
especially for UK**

- for hanging in HEWI shower grab rails and support rails ø 30, 32 and 33 mm
- slip-resistant, textured seat and backrest made of synthetic material in the colour of the suspension device
- reinforcement of seat and suspension device made of aluminium, powder-coated in HEWI colours AS (white matt), CV (black matt) and AF (anthracite grey matt)
- seat can be folded up to save space
- aluminum seat bracket ensures stability and safety
- moulded seat defines the sitting position (lightly curved shape provides pleasant support)
- seat made of thermoplastic synthetic material (polypropylene) enables and extremely resistant, hygienic surface and particularly soft seat comfort
- armrests made of high-quality polyamide in the colour of the suspension device
- armrests can be folded up and down separately
- maintenance-free, permanently smooth and easy moving joint
- weight capacity up to 150 kg
- 596 mm wide, 533 mm high and 650 mm deep
- seat 450 mm wide and 450 mm deep
- product weight: 13,6 kg
- fulfils the BS-Standard BS 8300:2009+A1:2010/Doc M requirements

Please advise colour when ordering.



HEWI Powder coating | Material combinations with synthetic material

- ☒ **...60 AS** matt white | white synthetic material
- ☒ **...60 AF** anthracite grey matt | anthracite grey synthetic material
- ☒ **...60 CV** matt black | black synthetic material



Universal products

Accessories



Item Number



Dimensions in mm / Specification



- HEWI Waste bin**
- cylindrical body with lid and foot pedal
 - capacity 3 l
 - with removable black inner bin made of synthetic material
 - lid with soft close function
 - floor standing, operated via foot pedal
 - ø 170 mm, 265 mm high and 230 mm deep
 - made of stainless steel
- highly polished
- matt black coating

Available from 1st July 2020

950.05.30540
950.05.30501



- HEWI Waste bin**
- cylindrical body with lid and foot pedal
 - capacity 5 l
 - with removable black inner bin made of synthetic material
 - lid with soft close function
 - floor standing, operated via foot pedal
 - ø 205 mm, 295 mm high and 266 mm deep
 - made of stainless steel
- highly polished
- matt black coating

Available from 1st July 2020


950.05.31540
950.05.31501

Item Number


Dimensions in mm / Specification



Available from 1st July 2020

950.06.75050

HEWI Hygiene bag dispenser


- holds and dispenses proprietary hygiene bags made of synthetic material
- for wall mounting
- 143 mm wide, 103 mm high and 27 mm deep
- made of polyamide with high-quality chrome-optical coating
- including non-corrosive HEWI fixing material


477.06B750
HEWI Hygiene bag dispenser

- do., made of high-quality matt polyamide in HEWI colours 99 (pure white), 98 (signal white), 97 (light grey), 95 (stone grey), 92 (anthracite grey) and 90 (jet black)




Available from 1st July 2020

950.06.21040
950.06.21001

HEWI Paper tissue dispenser

- free-standing, square container with removal slot
- holds standard cosmetic tissues
- the hood can be removed for filling
- 137 mm wide, 130 mm high and 137 mm deep
- made of synthetic material
- chrome-plated
- matt black coating



Available from 1st July 2020

950.30.11001

HEWI Bath towel shelf

- mitred bath towel rack
- made of brass tube, matt black coated, \varnothing 18 mm
- 618 mm wide, 260 mm deep
- for wall mounting, concealed fixing
- including non-corrosive HEWI fixing material


Item Number

Dimensions in mm / Specification



Available from 1st July 2020

950.01.23040
950.01.23001



HEWI Cosmetic mirror


- framed in a chrome-plated metal frame
- 3-fold magnification
- mirror and mirror surface \varnothing 220 mm
- on straight arm, movable, length 55 mm
- total depth 113 mm
- for wall mounting, concealed 3-point fixing
- wall connection \varnothing 60 mm, 10 mm deep
- including non-corrosive HEWI fixing material

- chrome-plated
- matt black coating



Available from 1st July 2020

950.01.26040
950.01.26001




HEWI Cosmetic mirror, illuminated

- LED-lighting, all-round, 20 mm wide
- mirror concave on one side, 5-fold magnification
- mirror \varnothing 200 mm, rotatable and tiltable
- Flex-LED 12 V, approx. 3 Watt
- two light colours, adjustable, warm white approx. 3000 Kelvin or cold white approx. 5700 Kelvin
- mirror surface \varnothing 160 mm, in a chrome-plated metal frame
- on double hinged arm, mounting allows movement, length 400 mm
- direct connection without cable, 220-240 V
- on and off switch behind the mirror
- CE marking according to EMV 2014/30/EU
- energy efficiency class A++, A+, A to Regulation (EG) 874/2012
- for wall mounting, concealed 3-point fixing
- wall connection \varnothing 100 mm, ca. 33 mm deep
- including non-corrosive HEWI fixing material
- suitable for power supplies with voltages between 100 and 240 V and grid frequencies of between 50 and 60 Hz
- protection class I, IP rating IP44

- chrome-plated
- matt black coating



Item Number

Dimensions in mm / Specification


HEWI Hair-dryer

- hotel safety hair dryer by Emberton, 2000 Watt
- made of ABS, with high-quality soft-touch surface, matt black
- dual-safe technology, with hair-styling nozzle
- safety button prevents permanent use
- safety thermostat (overheating protection)
- 2 air speeds, 2 heat levels and one cold air level
- detachable filter cover for easy cleaning
- elastic spiral cable that can be extended from 0.5 to 2.5 m, integrated hanging hook
- CE symbol, GS symbol, ROHS certificate
- suitable for power supplies with voltages between 220 and 240 V and grid frequencies of between 50 and 60 Hz
- can be combined with HEWI hair dryer holder 900.00.000...
- plug type: EU
- plug type: UK

Available from 1st July 2020

950.08.102
950.08.103


Available from 1st July 2020

950.74.00060

HEWI Side trolley

- single unit in shelf form with castors
- flexible and cross-range product for bathroom and adjoining living area
- 3 shelves, 2 of which have a back panel
- 430 mm wide, 904 mm high, 400 mm deep
- metal frame, high-quality chrome-plated
- with 4 chrome-plated castors for flexible use, 2 of which can be locked
- metal shelves, high-quality powder coated
- available in colour combination VR (chrome frame, high-gloss white shelves) or JK (chrome frame, matt black)


Please advise colour combination when ordering.

HEWI Powder coating | Material combination with chrome

- ...60 VR chrome | high-gloss white
- ...60 JK chrome | matt black

Item Number

Dimensions in mm / Specification




950.33.E031
950.33.E035
950.33.E032
950.33.E036

- HEWI Hand shower**
- 1-jet hand shower with soft-clean anti-calcium knobs
 - jet type: Rain
 - shower head ø 105 mm
 - spray plate made of synthetic material in colour white
 - knobs and ring made of light grey synthetic material
 - flow rate at 3 bar: 14 l/min
 - rinsable dirt filter
 - connection thread G 1/2
 - connection size: DN 15
 - tested according to KTW and W270
 - made of synthetic material in colour white
 - do., packing unit: 5 pcs.
 - made of synthetic material, chrome-plated
 - do., packing unit: 5 pcs.



950.33.E033




950.33.E037


- HEWI Hand shower**
- 3-jet hand shower, with soft-clean anti-calcium knobs
 - jet types: Wide rain, concentrated rain and combined rain
 - shower head ø 105 mm
 - body made of synthetic material, chrome-plated
 - spray plate made of synthetic material in colour white
 - knobs and ring made of light grey synthetic material
 - flow rate at 3 bar: 14 l/min
 - rinsable dirt filter
 - connection thread G 1/2
 - connection size: DN 15
 - tested according to KTW and W270
 - do., packing unit: 5 pcs.

Item Number

Dimensions in mm / Specification


950.33.E034

HEWI Hand shower, low aerosol

- 1-jet hand shower
- jet type: Soft
- shower head ø 85 mm
- made of synthetic material, chrome-plated
- spray plate made of dark grey synthetic material
- connection thread G 1/2
- connection size: DN 15


950.33.E054
950.33.E059
950.33.E062
950.33.E064

HEWI Shower hose

- made of synthetic material in colour white
- kink-protected
- rotary cone protects against twisting of the shower hose
- metal rotary cone / metal knurled knob, chrome-plated
- connections: 1/2 inch x 1/2 inch
- tested according to EN 1113 and KTW

- hose length 1600 mm
- do., packing unit: 5 pcs.


- hose length 2000 mm
- do., packing unit: 5 pcs.


950.33.E055
950.33.E060
950.33.E063
950.33.E065
HEWI Shower hose

- do., made of synthetic material, silver

- hose length 1600 mm
- do., packing unit: 5 pcs.

- hose length 2000 mm
- do., packing unit: 5 pcs.


950.33.E056
950.33.E057
950.33.E061
950.33.E058

HEWI Shower hose

- made of synthetic material with chrome-optic surface, kink-protected
- rotary cone protects against twisting of the shower hose
- metal rotary cone / metal short cone, chrome-plated
- connections: 1/2 inch x 1/2 inch
- tested according to EN 1113, KTW and W 270

- hose length 1250 mm


- hose length 1600 mm
- do., packing unit: 5 pcs.

- hose length 2000 mm

Item Number	Dimensions in mm / Specification
	<p>HEWI Set hand shower and shower hose consisting of:</p> <p>1-jet hand shower 950.33.E031 with shower hose 950.33.E0...</p> <ul style="list-style-type: none">· made of synthetic material in colour white· hand shower with soft-clean anti-calcium knobs· jet type: Rain· shower head ø 105 mm· spray plate made of synthetic material in colour white· knobs and ring made of light grey synthetic material· flow rate at 3 bar: 14 l/min· rinsable dirt filter· connection thread G 1/2, connection size: DN 15· kink-protected· rotary cone protects against twisting of the shower hose· metal rotary cone / metal knurled knob, chrome-plated· hand shower tested according to KTW and W270· shower hose tested according to EN 1113 and KTW
<p>950.33.E070 950.33.E073</p>	<ul style="list-style-type: none">· hose length 1600 mm (950.33.E054)· hose length 2000 mm (950.33.E062)
	<p>HEWI Set hand shower and shower hose consisting of:</p> <p>1-jet hand shower 950.33.E032 with shower hose 950.33.E0...</p> <ul style="list-style-type: none">· made of synthetic material, chrome-plated with shower hose made of synthetic material, silver· hand shower with soft-clean anti-calcium knobs· jet type: Rain· shower head ø 105 mm· spray plate made of synthetic material in colour white· knobs and ring made of light grey synthetic material· flow rate at 3 bar: 14 l/min· rinsable dirt filter· connection thread G 1/2, connection size: DN 15· kink-protected· rotary cone protects against twisting of the shower hose· metal rotary cone / metal knurled knob, chrome-plated· hand shower tested according to KTW and W270· shower hose tested according to EN 1113 and KTW
<p>950.33.E071 950.33.E074</p>	<ul style="list-style-type: none">· hose length 1600 mm (950.33.E055)· hose length 2000 mm (950.33.E063)
	<p>HEWI Set hand shower and shower hose consisting of:</p> <p>3-jet hand shower 950.33.E033 with shower hose 950.33.E0...</p> <ul style="list-style-type: none">· made of synthetic material, chrome-plated· hand shower with soft-clean anti-calcium knobs· jet types: Wide Rain, Concentrated Rain and Combined Rain· shower head ø 105 mm· spray plate made of synthetic material in colour white· knobs and ring made of light grey synthetic material· flow rate at 3 bar: 14 l/min· rinsable dirt filter· connection thread G 1/2, connection size: DN 15· kink-protected· rotary cone protects against twisting of the shower hose· metal rotary cone / metal short cone, chrome-plated· hand shower tested according to KTW and W270· shower hose tested according to EN 1113 and KTW
<p>950.33.E072 950.33.E075</p>	<ul style="list-style-type: none">· hose length 1600 mm (950.33.E057)· hose length 2000 mm (950.33.E058)

Item Number

Dimensions in mm / Specification



HEWI L-shaped support rail with shower head holder incl. hand shower and shower hose

consisting of:

L-shaped support rail with shower head holder 801.33.210

- vertical and horizontal bars joined to form an L-shape with **fixing roses made of steel** and shower head holder
- vertical length 1100 mm, horizontal length 600 mm
- 88 mm deep, clear distance to the wall 55 mm
- rails \varnothing 33 mm, roses \varnothing 70 mm
- shower head holder adjustable to required angle and height
- conical adaptor on shower head holder facilitates accommodation of hand shower
- with continuous corrosion resistant **steel core**
- for wall mounting with special fixing material and roses from HEWI
- can be mounted in left hand or right hand position
- suitable for all HEWI hanging seats
- **made of high-quality polyamide in HEWI colour 99 (pure white)**
- fulfils the ÖNORM B1600/1601 and SIA 500 requirements and

1-jet hand shower 950.33.E031 with shower hose 950.33.E0...

- made of synthetic material in colour white
- hand shower with soft-clean anti-calcium knobs
- jet type: Rain
- shower head \varnothing 105 mm
- spray plate made of synthetic material in colour white
- knobs and ring made of light grey synthetic material
- flow rate at 3 bar: 14 l/min
- rinsable dirt filter
- connection thread G 1/2, connection size: DN 15
- kink-protected
- rotary cone protects against twisting of the shower hose
- metal rotary cone / metal knurled knob, chrome-plated
- hand shower tested according to KTW and W270
- shower hose tested according to EN 1113 and KTW

801.33.211
801.33.212

- hose length 1600 mm (950.33.E054)
- hose length 2000 mm (950.33.E062)

HEWI Colours

□
99


950.33.E031
950.33.E054
950.33.E062

HEWI Hand shower see page 24
HEWI Shower hose see page 25
HEWI Shower hose see page 25

Range 801 | L-shaped support rail with shower head holder

Item Number

Dimensions in mm / Specification



**HEWI L-shaped support rail with shower head holder
incl. hand shower and shower hose**

consisting of:

L-shaped support rail with shower head holder 801.33.216

- vertical and horizontal bars joined to form an L-shape with **fixing roses made of synthetic material** and shower head holder
- vertical length 1100 mm, horizontal length 600 mm
- 88 mm deep, clear distance to the wall 55 mm
- rails \varnothing 33 mm, roses \varnothing 70 mm
- shower head holder adjustable to required angle and height
- conical adaptor on shower head holder facilitates accommodation of hand shower
- with **aluminium-/steel core** and stainless steel reinforced end bends
- for wall mounting with special fixing material and roses from HEWI
- can be mounted in left hand or right hand position
- suitable for all HEWI hanging seats
- **made of high-quality polyamide in HEWI colour 99 (pure white)**
- fulfils the ÖNORM B1600/1601 and SIA 500 requirements and

1-jet hand shower 950.33.E031 with shower hose 950.33.E0...


- made of synthetic material in colour white
- hand shower with soft-clean anti-calcium knobs
- jet type: Rain
- shower head \varnothing 105 mm
- spray plate made of synthetic material in colour white
- knobs and ring made of light grey synthetic material
- flow rate at 3 bar: 14 l/min
- rinsable dirt filter
- connection thread G 1/2, connection size: DN 15
- kink-protected
- rotary cone protects against twisting of the shower hose
- metal rotary cone / metal knurled knob, chrome-plated
- hand shower tested according to KTW and W270
- shower hose tested according to EN 1113 and KTW

801.33.217
801.33.218

- hose length 1600 mm (950.33.E054)
- hose length 2000 mm (950.33.E062)

Item Number

Dimensions in mm / Specification



HEWI Rail with vertical support bar and shower head holder incl. hand shower and shower hose

consisting of:

Rail with vertical support bar and shower head holder 801.35.210

- horizontal and vertical rails joined to form a right angle and fitted with **fixing roses made of steel** and shower holder
- vertical length 1100 mm, horizontal lengths 762 mm
- 88 mm deep, clear distance to the wall 55 mm
- rails \varnothing 33 mm, roses \varnothing 70 mm
- shower head holder adjustable to required angle and height
- conical adaptor on shower head holder facilitates accommodation of hand shower
- with continuous corrosion resistant **steel core**
- for wall mounting with special fixing material and roses from HEWI
- can be mounted in left hand or right hand position
- suitable for all HEWI hanging seats, hanging seats 801.51...110 and 801.51...115 only on W1
- **made of high-quality polyamide in HEWI colour 99 (pure white)** and

1-jet hand shower 950.33.E031 with shower hose 950.33.E0...

- made of synthetic material in colour white
- hand shower with soft-clean anti-calcium knobs
- jet type: Rain, shower head \varnothing 105 mm
- spray plate made of synthetic material in colour white
- knobs and ring made of light grey synthetic material
- flow rate at 3 bar: 14 l/min
- rinsable dirt filter
- connection thread G 1/2, connection size: DN 15
- kink-protected, rotary cone protects against twisting of the shower hose
- metal rotary cone / metal knurled knob, chrome-plated
- hand shower tested according to KTW and W270
- shower hose tested according to EN 1113 and KTW

801.35.211
801.35.212



- hose length 1600 mm (950.33.E054)
- hose length 2000 mm (950.33.E062)

HEWI Colours

□
99


950.33.E031
950.33.E054
950.33.E062

HEWI Hand shower see page 24
HEWI Shower hose see page 25
HEWI Shower hose see page 25

Item Number	Dimensions in mm / Specification
	 <p>HEWI Rail with sideways adjustable vertical support bar and shower head holder incl. hand shower and shower hose consisting of:</p> <p>Rail with sideways adjustable vertical support bar and shower head holder 801.35.310</p> <ul style="list-style-type: none"> horizontal and vertical rails joined to form a right angle and fitted with fixing roses made of steel and shower holder with sideways adjustable vertical support bar vertical length 1100 mm, horizontal lengths 762 mm 88 mm deep, clear distance to the wall 55 mm rails \varnothing 33 mm, roses \varnothing 70 mm shower head holder adjustable to required angle and height conical adaptor on shower head holder facilitates accommodation of hand shower with corrosion resistant steel core for wall mounting with special fixing material and roses from HEWI can be mounted in left hand or right hand position suitable for HEWI removable hanging seats 900.51..., 950.51..., 802.51... and 801.51...100 (only on W2) made of high-quality polyamide in HEWI colour 99 (pure white) and <p>1-jet hand shower 950.33.E031 with shower hose 950.33.E0...</p> <ul style="list-style-type: none"> made of synthetic material in colour white hand shower with soft-clean anti-calcium knobs jet type: Rain, shower head \varnothing 105 mm spray plate made of synthetic material in colour white knobs and ring made of light grey synthetic material flow rate at 3 bar: 14 l/min rinsable dirt filter connection thread G 1/2, connection size: DN 15 kink-protected, rotary cone protects against twisting of the shower hose metal rotary cone / metal knurled knob, chrome-plated hand shower tested according to KTW and W270 shower hose tested according to EN 1113 and KTW <p>801.35.311 801.35.312</p> <ul style="list-style-type: none"> hose length 1600 mm (950.33.E054) hose length 2000 mm (950.33.E062)

Item Number

Dimensions in mm / Specification



HEWI Rail with sideways adjustable vertical support bar and shower head holder incl. hand shower and shower hose

consisting of:

Rail with sideways adjustable vertical support bar and shower head holder 801.35.316

- horizontal and vertical rails joined to form a right angle and fitted with **fixing roses made of synthetic material** and shower head holder
- with sideways adjustable vertical support bar
- vertical length 1100 mm, horizontal lengths 762 mm
- 88 mm deep, clear distance to the wall 55 mm
- rails \varnothing 33 mm, roses \varnothing 70 mm
- shower head holder adjustable to required angle and height
- conical adaptor on shower head holder facilitates accommodation of hand shower
- with **aluminium-/steel core** and stainless steel reinforced end bends
- for wall mounting with special fixing material and roses from HEWI
- can be mounted in left hand or right hand position
- suitable for HEWI removable hanging seats 900.51..., 950.51..., 802.51... and 801.51...100 (only on W2)
- **made of high-quality polyamide in HEWI colour 99 (pure white)** and

1-jet hand shower 950.33.E031 with shower hose 950.33.E0...

- made of synthetic material in colour white
- hand shower with soft-clean anti-calcium knobs
- jet type: Rain, shower head \varnothing 105 mm
- spray plate made of synthetic material in colour white
- knobs and ring made of light grey synthetic material
- flow rate at 3 bar: 14 l/min
- rinsable dirt filter
- connection thread G 1/2, connection size: DN 15
- kink-protected, rotary cone protects against twisting of the shower hose
- metal rotary cone / metal knurled knob, chrome-plated
- hand shower tested according to KTW and W270
- shower hose tested according to EN 1113 and KTW

801.35.317
801.35.318

- hose length 1600 mm (950.33.E054)
- hose length 2000 mm (950.33.E062)

HEWI Colours

□
99

950.33.E031
950.33.E054
950.33.E062

HEWI Hand shower see page 24
HEWI Shower hose see page 25
HEWI Shower hose see page 25


Fittings

Stainless steel look



Item Number

Dimensions in mm / Specification

**AQ1.12M109XA****HEWI Single lever washbasin mixer tap AQ 950**

- PVD coated stainless steel look, cubic
- flow rate 5 l/min
- ceramic cartridge Kerox K-35OP, pressure resistant up to 35 bar
- laminar jet controller with dynamic flow control 5 l/min, angle adjustable and with anti-theft protection
- connection via flexible pressure hoses with woven-in hot-cold marking L = 450 mm, G 3/8"
- brass fitting body
- operating lever with warm-cold marking
- 129 mm high, projection 187 mm
- rigid outlet
- without drain set
- suitable for thermal disinfection according to DVGW W 551
- noise class 1
- DVGW certification and WELL Label in preparation




70064
70065
65087

HEWI Base see page 35
HEWI Operating lever see page 35
HEWI Mini thermostat to be ordered separately, see page 35

Item Number


Dimensions in mm / Specification



HEWI SENSORIC Electronic washbasin fitting AQ 950

- PVD coated stainless steel look, cubic
- flow rate 5 l/min
- for cold and mixed water
- cold water: 3/8" T-distributor necessary, see accessories item No. 111736
- laminar jet controller with dynamic flow control 5 l/min, angle adjustable and anti-theft protection
- adjustable, active, nuisance tripping-resistant infrared sensors
- electronic module with adjustable sensing range, hygiene flushing, continuous flushing and cleaning mode
- sensor parameters preset in the factory: after-run time: approx. 1-2 s, continuous running: 4 min, sensing range: 200 mm, cleaning mode: 60 s, hygiene flushing is deactivated
- asymmetrical sensing range, stable object detection
- settings and service also possible by means of app via smartphone, see accessories item No. 65713
- safety shutdown in the event of failure of the operating voltage, user-defined settings are retained
- without temperature adjustment lever: highly hygienic, vandal and misuse resistant
- the preset temperature lies within the comfort zone from 30 °C to 36 °C
- temperature settings and adjustment can be easily made during installation due to side access
- connection via flexible pressure hoses with woven-in hot-cold marking 450 mm long, G 3/8"
- integrated dirt trap screens
- brass fitting body
- 145 mm high, projection: 193 mm
- rigid outlet
- not including waste fittings
- noise class 1
- suitable for thermal disinfection at 70 °C according to DVGW W 551
- conforms EN 15091
- WELL Label in preparation

HEWI SENSORIC








AQ1.12S210XA
AQ1.12S211XA

- mains operation 230 V
- battery operation, use of a commercially available long-life Lithium battery (Typ CR-P2, included in delivery)

65087
65713
65755

HEWI Mini thermostat to be ordered separately, see right
HEWI Bluetooth-Adapter to be ordered separately, see right
HEWI Tee fitting for cold water connection to be ordered separately, see right

Item Number	Specification
	70064 HEWI Base for single lever washbasin mixer taps AQ 950 <ul style="list-style-type: none">· for AQ1.12M109XA· PVD coated stainless steel look
	70065 HEWI Operating lever for single lever washbasin mixer taps AQ 950 <ul style="list-style-type: none">· for AQ1.12M109XA· PVD coated stainless steel look· with warm-cold marking
	65087 HEWI Mini thermostat <ul style="list-style-type: none">· for limiting and monitoring the maximum discharge temperature, for mechanical or electronic washbasin fittings· anti-scald protection is ensured using an expandable material thermostatic cartridge to EN 1111· noise class 1· one inlet 3/8" union nut (UN), two outputs 3/8" connecting thread (CT), one connection hose for cold water and one Y-piece included in delivery
	65713 HEWI Bluetooth-Adapter for electronic washbasin fittings <ul style="list-style-type: none">· use only recommended for fittings with mains operation
	65755 HEWI Tee fitting for cold water connection for electronic washbasin fittings



Mobile hinged support rails

Flexible support

Accessible bathrooms are often needed at very short notice – with mobile hinged support rails, every sanitary room can be adapted quickly and easily to meet individual requirements, offering the user service and special comfort and convenience. If required, the mobile solutions can be snapped into a fixed mounting plate. The particularly easy assembly allows nursing or cleaning personnel to quickly and easily add the mobile hinged support rails to the sanitary room. If the mobile solution is no longer required, a discreet cover conceals the mounting plate.

Mobile hinged support rails are used both in the area of professional care, such as in clinics or retirement homes, and in the public sector, in hotels and in one's own home – wherever flexible support is required.

www.hewi.com/en/flexible


Clever assembly

Maximum functionality

In addition to a reliable hold and support of motions, mobile hinged support rails also offer the possibility of being used flexibly wherever they are needed. If required, the portable hinged support rail is simply snapped into the permanently installed mounting plate. Due to the snap-in connection, assembly and disassembly is possible without tools. Only one additional screw has to be tightened by hand to secure. If the mobile hinged support rail is not required, the mounting plate can be concealed by a cover cap.


The mobile hinged support rail can be supplemented with comfort elements. For example, an arm pad can be combined for even more comfortable support of the arm. In addition, the mobile hinged support rail can be upgraded with a toilet roll holder, a toilet flushing mechanism or a floor support.

There are plenty of design options thanks to the large selection of materials across all ranges and systems. The range 805 Classic and range 801 with high-gloss and matt polyamide surfaces now also offer mobile versions of the hinged support rails.



Discover the simple installation technology of the mobile hinged support rails and the product variety in the video:
<https://youtu.be/Kv2DkfLZZLk>





Range 801

Accessible classic becomes mobile

HEWI has decades of competence in the development of accessibility solutions. With the range 801, HEWI launched the first accessibility system on the German market 35 years ago. Since then, the series has undergone continuous development and has established itself as a classic in the sanitary room. The range 801 is complemented by the accessories of range 477.

With the range 477/801, HEWI offers solutions for all areas of the sanitary room – involving the washbasin, WC and shower. The cross-section of the round tube design is optimally adapted to the shape of the hand. The mobile hinged support rails are designed in such a way that they support movements, provide security and enable independence – now also available in the mobile version.


Matt edition

HEWI remains true to its chosen path, but always with the aspiration of taking concepts and thinking ahead. The mobile hinged support rails are not only available in high-gloss polyamide, but also in the matt edition. The matt edition creates sensual accentuation, which convinces with a characteristic look and a very special feel.


HEWI is one of the first synthetic materials processing companies in Germany. The range 477/801 is still produced in Bad Arolsen today. The velvety finish of the matt edition is achieved through a special finishing process. The result is a unique design in premium quality, made in Germany.

Item Number

Dimensions in mm / Specification







Drill hole




HEWI Mobile hinged support rail

- two parallel bars running one above the other joined by a connecting bend
- loading capacity according to DIN 18040 up to 100 kg
- can be folded upwards and, with friction device, downwards
- for mobile use, for easy and flexible retrofitting on pre-assembled HEWI mounting plate 950.50.016 (to be ordered separately, see page 44)
- toolless and quick installation by simple attachment of the mobile hinged support rail
- secured by fixing screw to prevent unintentional removal
- covered, non-corrosive and tested HEWI fixing material for different wall constructions (to be ordered separately, see page 52)
- 78 mm wide and 252 mm high, bars ø 33 mm
- made of high-quality polyamide



projection	with corrosion resistant steel core in 16 HEWI colours	do., with foam grip made of black PUR, 295 mm long	<div> HEWI active+ </div> with active antimicrobial micro-silver, in HEWI colour 98 (signal white)	do., with floor support in 16 HEWI colours
600 mm	801.50.207	801.50.208	801.50D207	801.50.205S
700 mm	801.50.217	801.50.218	801.50D217	801.50.215S
750 mm	801.50.247	801.50.248	801.50D247	801.50.245S
850 mm	801.50.227	801.50.228	801.50D227	801.50.225S
900 mm	801.50.237	801.50.238	801.50D237	801.50.235S




Please specify dimension L when ordering.

Item Number





Dimensions in mm / Specification




Drill hole

**HEWI Mobile hinged support rail, rotatable**

- two parallel bars running one above the other joined by a connecting bend
- loading capacity according to DIN 18040 up to 100 kg
- can be folded upwards and, with friction device, downwards, a turn to left or right locks support in vertical position
- for mobile use, for easy and flexible retrofitting on pre-assembled HEWI mounting plate 950.50.016 (to be ordered separately, see page 44)
- toolless and quick installation by simple attachment of the mobile hinged support rail
- secured by fixing screw to prevent unintentional removal
- covered, non-corrosive and tested HEWI fixing material for different wall constructions (to be ordered separately, see page 52)
- 78 mm wide and 252 mm high, bars \varnothing 33 mm
- made of high-quality polyamide



projection	with corrosion resistant steel core in 16 HEWI colours	do., with foam grip made of black PUR, 295 mm long	HEWI active+ with active antimicrobial micro-silver, in HEWI colour 98 (signal white)	do., with floor support in 16 HEWI colours
600 mm	801.50.107	801.50.108	801.50D107	801.50.105S
700 mm	801.50.117	801.50.118	801.50D117	801.50.115S
750 mm	801.50.147	801.50.148	801.50D147	801.50.145S
850 mm	801.50.127	801.50.128	801.50D127	801.50.125S
900 mm	801.50.137	801.50.138	801.50D137	801.50.135S



Please specify dimension L when ordering.

16 HEWI Colours

98	99	97	95	92	90	86	84
18	24	36	33	74	72	55	50

801.50...01...
801.50...060
950.50.021XA
950.50.023XA


HEWI Upgrade products for hinged support rails (order separately)**Toilet roll holder** see page 45**WC flushing mechanism (radio-controlled)** see page 45**Floor support** mounting height 760 mm see page 45**Floor support** mounting height 850 mm see page 45**HEWI Ordering aid** see page 60

Item Number

Dimensions in mm / Specification






Drill hole




HEWI Mobile hinged support rail

- two parallel bars running one above the other joined by a connecting bend
- loading capacity according to DIN 18040 up to 100 kg
- can be folded upwards and, with friction device, downwards
- for mobile use, for easy and flexible retrofitting on pre-assembled HEWI mounting plate 950.50.016 (to be ordered separately, see page 44)
- toolless and quick installation by simple attachment of the mobile hinged support rail
- secured by fixing screw to prevent unintentional removal
- covered, non-corrosive and tested HEWI fixing material for different wall constructions (to be ordered separately, see page 52)
- 78 mm wide and 252 mm high, bars ø 33 mm
- made of high-quality matt polyamide in HEWI colours 99 (pure white), 98 (signal white), 97 (light grey), 95 (stone grey) and 92 (anthracite grey)



projection	with corrosion resistant steel core in 5 HEWI colours, matt	do., with foam grip made of black PUR, 295 mm long	do., with floor support in 5 HEWI colours, matt
600 mm	801.50B207	801.50B208	801.50B205S
700 mm	801.50B217	801.50B218	801.50B215S
750 mm	801.50B247	801.50B248	801.50B245S
850 mm	801.50B227	801.50B228	801.50B225S
900 mm	801.50B237	801.50B238	801.50B235S





Please specify dimension L when ordering.

Item Number




Dimensions in mm / Specification




Drill hole

**HEWI Mobile hinged support rail, rotatable**

- two parallel bars running one above the other joined by a connecting bend
- loading capacity according to DIN 18040 up to 100 kg
- can be folded upwards and, with friction device, downwards, a turn to left or right locks support in vertical position
- for mobile use, for easy and flexible retrofitting on pre-assembled HEWI mounting plate 950.50.016 (to be ordered separately, see page 44)
- toolless and quick installation by simple attachment of the mobile hinged support rail
- secured by fixing screw to prevent unintentional removal
- covered, non-corrosive and tested HEWI fixing material for different wall constructions (to be ordered separately, see page 52)
- 78 mm wide and 252 mm high, bars \varnothing 33 mm
- made of high-quality matt polyamide in HEWI colours 99 (pure white), 98 (signal white), 97 (light grey), 95 (stone grey) and 92 (anthracite grey)



projection	with corrosion resistant steel core in 5 HEWI colours, matt	do., with foam grip made of black PUR, 295 mm long	do., with floor support in 5 HEWI colours, matt
600 mm	801.50B107	801.50B108	801.50B105S
700 mm	801.50B117	801.50B118	801.50B115S
750 mm	801.50B147	801.50B148	801.50B145S
850 mm	801.50B127	801.50B128	801.50B125S
900 mm	801.50B137	801.50B138	801.50B135S



Please specify dimension L when ordering.

5 matt HEWI colours

801.50B01...
801.50B060
950.50B021XA
950.50B023XA


HEWI Upgrade products for hinged support rails (order separately)**Toilet roll holder** see page 45**WC flushing mechanism (radio-controlled)** see page 45**Floor support** mounting height 760 mm see page 45**Floor support** mounting height 850 mm see page 45**HEWI Ordering aid** see page 60

Item Number

Dimensions in mm / Specification



950.50.10190



HEWI Mounting plate with cover


- 82 mm wide, 265 mm high, 19 mm deep
- mounting plate made of stainless steel, satin finished
- for mounting with non-corrosive and tested HEWI fixing materials for different wall systems (to be ordered separately, see page 52)
- sealing tape for sealing the fixing points is included in the scope of delivery
- made of high-quality synthetic material in HEWI colours 98 (signal white) or 99 (pure white)

Fixing material BM10.2 to BM18.2 to be ordered separately
see page 52

- ☒ Mounting plate
- ☐ Cover



950.50.016




HEWI Mounting plate

- 74 mm wide, 249 mm high, 18 mm deep
- made of stainless steel, satin finished
- for mounting with non-corrosive and tested HEWI fixing materials for different wall systems (to be ordered separately, see page 52)
- sealing tape for sealing the fixing points is included in the scope of delivery



950.50.01790



HEWI Cover for mounting plate


- for covering the installed mounting plate by simply hooking it in
- 82 mm wide, 265 mm high, 19 mm deep
- made of high-quality synthetic material in HEWI colours 98 (signal white) or 99 (pure white)

5 matt HEWI colours

- ☒ 98
- ☐ 99
- ☐ 97
- ☐ 95
- ☐ 92

Item Number


Dimensions in mm / Specification



801.50.010
801.50.011

801.50B010
801.50B011

⊕ **801.50D010**
⊕ **801.50D011**

**HEWI Upgrade kit toilet roll holder**

- for simple installation and for retrofitting with hinged support rail range 801
- 35 mm wide, 131 mm high, 136 mm deep
- made of high-quality polyamide in 16 HEWI colours
- with integrated rotation control to accommodate standard toilet rolls
- with with integrated flexible rotation control to accommodate toilet rolls
- made of high-quality matt polyamide in 5 HEWI colours
- with integrated rotation control to accommodate standard toilet rolls
- with with integrated flexible rotation control to accommodate toilet rolls


HEWI active+ Upgrade kit toilet roll holder

- in HEWI colour 98 (signal white), with active antimicrobial microsilver
- with integrated rotation control to accommodate standard toilet rolls
- with with integrated flexible rotation control to accommodate toilet rolls



801.50.060
801.50B060

⊕ **801.50D060**

**HEWI Upgrade kit WC flushing mechanism (radio-controlled)**

- WC flushing mechanism for easy installation and for retrofitting with HEWI hinged support rails 801.50...
- 50 mm wide, 68 mm high, 105 mm long, transmission frequency 868,4 MHz
- suitable for radio-controlled WC flushing systems of Geberit, Mepa, Viega, Sanit, Friatec, TECE and Grohe
- made of high-quality polyamide in 16 HEWI colours
- made of high-quality matt polyamide in 5 HEWI colours

HEWI active+ Upgrade kit WC flushing mechanism (radio-con.)


- in HEWI colour 98 (signal white), with active antimicrobial microsilver



950.50.027XA
950.50B027XA

950.50.021XA
950.50B021XA

950.50.023XA
950.50B023XA

**HEWI Floor support**

- vertical floor support for retrofitting on hinged support rails 801.50..., easy installation
- support made of high-quality stainless steel, satin finished
- height adjustment possible within range of ± 20 mm
- vertical length 527 mm, for mounting height 680 mm
- connection made of high-quality polyamide in 16 HEWI colours
- connection made of high-quality matt polyamide in 5 HEWI colours
- fulfils height adjustment requirements according to DIN 18040
- vertical length 607 mm, for mounting height 760 mm
- connection made of high-quality polyamide in 16 HEWI colours
- connection made of high-quality matt polyamide in 5 HEWI colours
- fulfils height adjustment requirements according to ÖNORM B 1600/1601
- vertical length 697 mm, for mounting height 850 mm
- connection made of high-quality polyamide in 16 HEWI colours
- connection made of high-quality matt polyamide in 5 HEWI colours


■ Floor support

16 HEWI Colours | Surfaces

98	99	97	95	92	90	86	84	
18	24	36	33	74	72	55	50	XA

Item Number


Dimensions in mm / Specification



801.51.9061
801.51.9062
801.51.9063

801.51B9061
801.51B9062
801.51B9063

Available from 1st December 2020




HEWI Backrest rail

- with right-angled fixing rails on each side
- with corrosion resistant steel core
- for fitting onto hinged support rails or stationary supports with wall mounting plate Range 801
- c to c 650 to 750 mm wide, adjustable on site
- 150 mm deep, rails ø 33 mm, backrest 370 mm wide and 334 mm high
- fulfils requirements according to DIN 18040 and ÖNORM B 1600/1601
- rails made of high-quality polyamide in 16 colours
- backrest made of synthetic material in HEWI colours 98 (signal white)
- backrest made of synthetic material in HEWI colours 92 (anthracite grey)
- backrest made of synthetic material in HEWI colours 90 (jet black)
- rails made of high-quality matt polyamide in 5 HEWI colours
- backrest made of synthetic material in HEWI colours 98 (signal white)
- backrest made of synthetic material in HEWI colours 92 (anthracite grey)
- backrest made of synthetic material in HEWI colours 90 (jet black)

Attention: Fixing material for backrest rail BM1...2.1 according to the table to be ordered separately (see page 59)


If the backrest rail is ordered separately, use 801.51...916 with roses (see right). Supplied only with HEWI fixing material.



801.51.9071
801.51.9072
801.51.9073

801.51B9071
801.51B9072
801.51B9073

Available from 1st December 2020



HEWI Backrest rail

- with bent fixing rails on each side
- user-friendly wall distance of 230 mm
- with corrosion resistant steel core
- for fitting onto hinged support rails or stationary supports with wall mounting plate Range 801
- c to c 650 to 750 mm wide, adjustable on site
- 230 mm deep, rails ø 33 mm, backrest 370 mm wide and 334 mm high
- rails made of high-quality polyamide in 16 colours
- backrest made of synthetic material in HEWI colours 98 (signal white)
- backrest made of synthetic material in HEWI colours 92 (anthracite grey)
- backrest made of synthetic material in HEWI colours 90 (jet black)
- rails made of high-quality matt polyamide in 5 HEWI colours
- backrest made of synthetic material in HEWI colours 98 (signal white)
- backrest made of synthetic material in HEWI colours 92 (anthracite grey)
- backrest made of synthetic material in HEWI colours 90 (jet black)

Attention: Fixing material for backrest rail BM1...2.1 according to the table to be ordered separately (see page 59)

If the backrest rail is ordered separately, use 801.51...917 with roses (see right). Supplied only with HEWI fixing material.



5 matte HEWI Colours

☒ 98
☐ 99
☐ 97
☐ 95
☐ 92

Please note: Not mountable on mobile hinged support rails.

Item Number


Dimensions in mm / Specification



HEWI Backrest rail

- with right-angled fixing rails on each side and rose fixings
 - with corrosion resistant steel core
 - wall mounting with roses
 - c to c 650 to 750 mm wide, adjustable on site
 - 150 mm deep, rails ø 33 mm, roses ø 70 mm
 - backrest 370 mm wide and 334 mm high
 - fulfils requirements according to DIN 18040 and ÖNORM B 1600/1601
 - supplied with fixing material BM211
- 801.51.9161
801.51.9162
801.51.9163
- 801.51B9161
801.51B9162
801.51B9163
- rails made of high-quality polyamide in 16 colours
 - backrest made of synthetic material in HEWI colours 98 (signal white)
 - backrest made of synthetic material in HEWI colours 92 (anthracite grey)
 - backrest made of synthetic material in HEWI colours 90 (jet black)
- rails made of high-quality matt polyamide in 5 HEWI colours
 - backrest made of synthetic material in HEWI colours 98 (signal white)
 - backrest made of synthetic material in HEWI colours 92 (anthracite grey)
 - backrest made of synthetic material in HEWI colours 90 (jet black)

Available from 1st December 2020



HEWI Backrest rail

- with bent fixing rails on each side and rose fixings
 - user-friendly wall distance of 230 mm
 - with corrosion resistant steel core
 - wall mounting with roses
 - c to c 650 to 750 mm wide, adjustable on site
 - 230 mm deep, rails ø 33 mm, roses ø 70 mm
 - backrest 370 mm wide and 334 mm high
 - supplied with fixing material BM211
- 801.51.9171
801.51.9172
801.51.9173
- 801.51B9171
801.51B9172
801.51B9173
- rails made of high-quality polyamide in 16 colours
 - backrest made of synthetic material in HEWI colours 98 (signal white)
 - backrest made of synthetic material in HEWI colours 92 (anthracite grey)
 - backrest made of synthetic material in HEWI colours 90 (jet black)
- rails made of high-quality matt polyamide in 5 HEWI colours
 - backrest made of synthetic material in HEWI colours 98 (signal white)
 - backrest made of synthetic material in HEWI colours 92 (anthracite grey)
 - backrest made of synthetic material in HEWI colours 90 (jet black)


Available from 1st December 2020

16 HEWI Colours

98	99	97	95	92	90	86	84
18	24	36	33	74	72	55	50

Item Number

Dimensions in mm / Specification



right handed version


801.51.9261R
801.51.9262R
801.51.9263R

801.51B9261R
801.51B9262R
801.51B9263R

801.51.9261L
801.51.9262L
801.51.9263L

801.51B9261L
801.51B9262L
801.51B9263L

Available from 1st December 2020



HEWI Backrest rail

- with right-angled fixing rails on each side and rose fixing on one side
- with corrosion resistant steel core
- one-sided wall mounting with rose
- one-sided mounting on hinged or stationary support rail with wall mounting plate
- c to c 650 to 750 mm wide, adjustable on site
- 150 mm deep, rails ø 33 mm, rose ø 70 mm
- backrest 370 mm wide and 334 mm high
- fulfils requirements according to DIN 18040 and ÖNORM B 1600/1601

right handed version (from users point of view)


- handle right, rose left
- rails made of high-quality polyamide in 16 HEWI colours
- backrest made of synthetic material in HEWI colours 98 (signal white)
- backrest made of synthetic material in HEWI colours 92 (anthracite grey)
- backrest made of synthetic material in HEWI colours 90 (jet black)
- rails made of high-quality matt polyamide in 5 HEWI colours
- backrest made of synthetic material in HEWI colours 98 (signal white)
- backrest made of synthetic material in HEWI colours 92 (anthracite grey)
- backrest made of synthetic material in HEWI colours 90 (jet black)

left handed version


- handle left, rose right
- rails made of high-quality polyamide in 16 HEWI colours
- backrest made of synthetic material in HEWI colours 98 (signal white)
- backrest made of synthetic material in HEWI colours 92 (anthracite grey)
- backrest made of synthetic material in HEWI colours 90 (jet black)
- rails made of high-quality matt polyamide in 5 HEWI colours
- backrest made of synthetic material in HEWI colours 98 (signal white)
- backrest made of synthetic material in HEWI colours 92 (anthracite grey)
- backrest made of synthetic material in HEWI colours 90 (jet black)

Attention: Fixing material for backrest rail BM1...2.2 on handle side order separately according to the table (see page 59)

Supplied only with HEWI fixing material.



Available from 1st December 2020



HEWI Backrest rail

- with right-angled fixing rails on each side and rose fixings
- with corrosion resistant steel core
- wall mounting with roses
- c to c 435 mm, 150 mm deep, rails ø 33 mm, roses ø 70 mm
- backrest 370 mm wide and 334 mm high
- fulfils the BS-Standard BS 8300:2009+A1:2010/Doc M requirements
- supplied with fixing material BM211

801.51.9121
801.51.9122
801.51.9123

- backrest made of synthetic material in HEWI colours 98 (signal white)
- backrest made of synthetic material in HEWI colours 92 (anthracite grey)
- backrest made of synthetic material in HEWI colours 90 (jet black)

5 matte HEWI Colours

98 99 97 95 92

Please note: Not mountable on mobile hinged support rails.

Item Number

Dimensions in mm / Specification



right handed version


801.51.9271R
801.51.9272R
801.51.9273R

801.51B9271R
801.51B9272R
801.51B9273R

801.51.9271L
801.51.9272L
801.51.9273L

801.51B9271L
801.51B9272L
801.51B9273L

Available from 1st December 2020



HEWI Backrest rail

- with right-angled fixing rails on each side and rose fixing on one side
- user-friendly wall distance of 230 mm
- with corrosion resistant steel core
- one-sided wall mounting with rose, one-sided mounting on hinged or stationary support rail with wall mounting plate
- c to c 650 to 750 mm wide, adjustable on site
- 230 mm deep, rails ø 33 mm, rose ø 70 mm
- backrest 370 mm wide and 334 mm high


right handed version (from users point of view)

- handle right, rose left
- rails made of high-quality polyamide in 16 HEWI colours
- backrest made of synthetic material in HEWI colours 98 (signal white)
- backrest made of synthetic material in HEWI colours 92 (anthracite grey)
- backrest made of synthetic material in HEWI colours 90 (jet black)
- rails made of high-quality matt polyamide in 5 HEWI colours
- backrest made of synthetic material in HEWI colours 98 (signal white)
- backrest made of synthetic material in HEWI colours 92 (anthracite grey)
- backrest made of synthetic material in HEWI colours 90 (jet black)


left handed version

- handle left, rose right
- rails made of high-quality polyamide in 16 HEWI colours
- backrest made of synthetic material in HEWI colours 98 (signal white)
- backrest made of synthetic material in HEWI colours 92 (anthracite grey)
- backrest made of synthetic material in HEWI colours 90 (jet black)
- rails made of high-quality matt polyamide in 5 HEWI colours
- backrest made of synthetic material in HEWI colours 98 (signal white)
- backrest made of synthetic material in HEWI colours 92 (anthracite grey)
- backrest made of synthetic material in HEWI colours 90 (jet black)

Attention: Fixing material for backrest rail BM1...2.2 on handle side order separately according to the table (see page 59)
Supplied only with HEWI fixing material.



Available from 1st December 2020



HEWI Backrest rail


- with right-angled fixing rails on each side and rose fixings
- with corrosion resistant steel core
- wall mounting with roses
- c to c 435 mm 230 mm deep, rails ø 33 mm, roses ø 70 mm
- backrest 370 mm wide and 334 mm high
- supplied with fixing material BM211
- backrest made of synthetic material in HEWI colours 98 (signal white)
- backrest made of synthetic material in HEWI colours 92 (anthracite grey)
- backrest made of synthetic material in HEWI colours 90 (jet black)

16 HEWI Colours

98	99	97	95	92	90	86	84
18	24	36	33	74	72	55	50

Please note: Not mountable on mobile hinged support rails.





Range 805 Classic System solution made of stainless steel

The design language is based on a further development of the 801 series. The stainless steel version is fully integrated into the room due to its reduced design. Made of satin finished stainless steel, the range 805 Classic offers many advantages: The material is particularly robust and easy to clean. The stable construction offers protection against vandalism and misuse as well as safe application.

Especially in the public sector, it is important to enable all people, regardless of their physical capabilities, to have access to public life without barriers.



The range 805 Classic was designed for this purpose and, in combination with the mobile hinged support rails, enables flexible adaptation of the sanitary room to the requirements of its users.

Item Number

Dimensions in mm / Specification



Drill hole



HEWI Mobile hinged support rail

- two parallel bars running one above the other joined by a connecting bend, from a continuous tube formed
- loading capacity according to DIN 18040 up to 100 kg
- can be folded upwards and, with friction device, downwards
- for mobile use, for easy and flexible retrofitting on pre-assembled HEWI mounting plate 950.50.016 (to be ordered separately, see page 54)
- toolless and quick installation by simple attachment of the mobile hinged support rail
- secured by fixing screw to prevent unintentional removal
- covered, non-corrosive and tested HEWI fixing material for different wall constructions (to be ordered separately, see below)
- 250 mm high and 75 mm wide, bars \varnothing 33 mm, tube thickness 2 mm
- made of high-quality stainless steel, satin finished

805.50.201
805.50.211
805.50.221
805.50.231

600 mm projection
 700 mm projection
 850 mm projection
 900 mm projection

Fixing material for hinged support rails to be ordered separately
 for fixing on walls made of:

BM17.2
BM10.2
BM11.2
BM12.2
BM13.2
BM18.2




concrete > C20/C25, national technical approval number: ETA-11/0493
 concrete > C20/C25
 autoclaved aerated concrete (> P2)
 lightweight walls with rear lining made of laminated timber boards ...
 lightweight walls with integrated steel plates ...
 hollow concrete block, vertically perforated bricks, solid bricks,...,
 national technical approval number: ETA-13/1036

Item Number

Dimensions in mm / Specification



Drill hole



HEWI Mobile hinged support rail, rotatable

- two parallel bars running one above the other joined by a connecting bend, from a continuous tube formed
- loading capacity according to DIN 18040 up to 100 kg
- can be folded upwards and, with friction device, downwards, a turn to left or right locks support in vertical position
- for mobile use, for easy and flexible retrofitting on pre-assembled HEWI mounting plate 950.50.016 (to be ordered separately, see page 54)
- toolless and quick installation by simple attachment of the mobile hinged support rail
- secured by fixing screw to prevent unintentional removal
- covered, non-corrosive and tested HEWI fixing material for different wall constructions (to be ordered separately, see bottom left)
- 250 mm high and 75 mm wide, bars \varnothing 33 mm, tube thickness 2 mm
- made of high-quality stainless steel, satin finished

805.50.101
805.50.111
805.50.121
805.50.131

600 mm projection
700 mm projection
850 mm projection
900 mm projection



Surfaces

XA

805.50.015
805.50.060
950.50.022XA
950.50.024XA

HEWI Upgrade products for hinged support rails (order separately)

Toilet roll holder see page 55

WC flushing mechanism (radio-controlled) see page 55

Floor support mounting height 760 mm see page 55

Floor support mounting height 850 mm see page 55


HEWI Ordering aid see page 60

Item Number

Dimensions in mm / Specification



950.50.101XA



HEWI Mounting plate with cover


- 82 mm wide, 265 mm high, 19 mm deep
- mounting plate made of stainless steel, satin finished
- for mounting with non-corrosive and tested HEWI fixing materials for different wall systems (to be ordered separately, see page 52)
- sealing tape for sealing the fixing points is included in the scope of delivery
- face plate of the cover made of high-quality stainless steel, satin finished
- cover frame made of high-quality polyamide in HEWI colours 90 (jet black), 92 (anthracite grey), 98 (signal white) and 99 (pure white)

- ☒ Mounting plate, face plate
- ☐ ☐ ☐ ☐ Cover frame

Fixing material BM10.2 to BM18.2 to be ordered separately see page 52



950.50.016




HEWI Mounting plate

- 74 mm wide, 249 mm high, 18 mm deep
- made of stainless steel, satin finished
- for mounting with non-corrosive and tested HEWI fixing materials for different wall systems (to be ordered separately, see page 52)
- sealing tape for sealing the fixing points is included in the scope of delivery

- ☒



950.50.017XA



HEWI Cover for mounting plate

- for covering the installed mounting plate by simply hooking it in
- 82 mm wide, 265 mm high, 19 mm deep
- face plate of the cover made of high-quality stainless steel, satin finished
- cover frame made of high-quality polyamide in HEWI colours 90 (jet black), 92 (anthracite grey), 98 (signal white) and 99 (pure white)


- ☒ Face plate
- ☐ ☐ ☐ ☐ Cover frame

Item Number

Dimensions in mm / Specification



805.50.015




HEWI Upgrade kit toilet roll holder

- right angle-shaped toilet roll holder
- used for retrofitting on HEWI hinged support rails range 805 Classic
- integrated roll brake
- 35 mm wide, 131 mm high, 136 mm deep
- made of high-quality polyamide in HEWI colours 98 (signal white), 99 (pure white), 92 (anthracite grey) or 90 (jet black)

Please advise colour when ordering.



805.50.060




HEWI Upgrade kit WC flushing mechanism (radio-controlled)

- WC flushing mechanism for easy installation and for retrofitting with HEWI hinged support rails range 805 Classic
- 50 mm wide, 68 mm high, 105 mm long
- transmission frequency 868,4 MHz
- made of high-quality polyamide in HEWI colours 98 (signal white), 99 (pure white), 92 (anthracite grey) or 90 (jet black)
- suitable for radio-controlled WC flushing systems of Geberit, Mepa, Viega, Sanit, Friatec, TECE and Grohe

Please advise colour when ordering.



950.50.022XA



HEWI Floor support

- vertical floor support for retrofitting on hinged support rails 805.50..., easy installation
- fulfils height adjustment requirements according to DIN 18040
- connection made of high-quality polyamide in HEWI colours 98 (signal white), 99 (pure white), 92 (anthracite grey) or 90 (jet black)
- support made of high-quality stainless steel, satin finished
- vertical length 607 mm, mounting height 760 mm
- height adjustment possible within range of ± 20 mm




950.50.024XA

HEWI Floor support

- do., fulfils height adjustment requirements according to ÖNORM B 1600/1601
- vertical length 697 mm, mounting height 850 mm


- Floor support
- ■ ■ Connection

HEWI Colours | Surfaces




Item Number

Dimensions in mm / Specification



805.51.906



HEWI Backrest rail


- with right-angled fixing rails on each side
- for fitting onto hinged support rails Range 805 Classic
- adjustable on site
- c to c 650 to 750 mm wide, adjustable on site
- 150 mm deep, rails ø 33 mm
- backrest 370 mm wide and 334 mm high
- backrest made of synthetic material in HEWI colours 98 (signal white), 92 (anthracite grey) and 90 (jet black)
- connection made of high-quality stainless steel with satin surface finish
- fulfils requirements according to DIN 18040 and ÖNORM B 1600/1601

Attention: Fixing material for backrest rail BM1...2.1 according to the table to be ordered separately (see page 59)


If the backrest rail is ordered separately, use 805.51...916 with roses (see right).

Supplied only with HEWI fixing material.

Available from 1st December 2020



805.51.907



HEWI Backrest rail

- with right-angled fixing rails on each side
- user-friendly wall distance of 230 mm
- for fitting onto hinged support rails Range 805 Classic
- adjustable on site
- c to c 650 to 750 mm wide, adjustable on site
- 230 mm deep, rails ø 33 mm
- backrest 370 mm wide and 334 mm high
- backrest made of synthetic material in HEWI colours 98 (signal white), 92 (anthracite grey) and 90 (jet black)
- connection made of high-quality stainless steel with satin surface finish

Attention: Fixing material for backrest rail BM1...2.1 according to the table to be ordered separately (see page 59)

If the backrest rail is ordered separately, use 805.51...917 with roses (see right).



Supplied only with HEWI fixing material.

Available from 1st December 2020

Please note: Not mountable on mobile hinged support rails.


Item Number

Dimensions in mm / Specification


805.51.916
HEWI Backrest rail

- with right-angled fixing rails on each side and rose fixings
- wall mounting with roses
- c to c 650 to 750 mm wide, adjustable on site
- 150 mm deep, rails \varnothing 33 mm, roses \varnothing 70 mm
- backrest 370 mm wide and 334 mm high
- backrest made of synthetic material in HEWI colours 98 (signal white), 92 (anthracite grey) and 90 (jet black)
- connection made of high-quality stainless steel with satin surface finish
- fulfils requirements according to DIN 18040 and ÖNORM B 1600/1601
- supplied with fixing material BM211

Available from 1st December 2020



805.51.917
HEWI Backrest rail

- with right-angled fixing rails on each side and rose fixings
- user-friendly wall distance of 230 mm
- wall mounting with roses
- c to c 650 to 750 mm wide, adjustable on site
- 230 mm deep, rails \varnothing 33 mm, roses \varnothing 70 mm
- backrest 370 mm wide and 334 mm high
- backrest made of synthetic material in HEWI colours 98 (signal white), 92 (anthracite grey) and 90 (jet black)
- connection made of high-quality stainless steel with satin surface finish
- supplied with fixing material BM211


Available from 1st December 2020

Item Number

Dimensions in mm / Specification



right handed version



HEWI Backrest rail

- with right-angled fixing rails on each side and rose fixing on one side
- one-sided wall mounting with rose
- one-sided mounting on hinged or stationary support rail with wall mounting plate
- c to c 650 to 750 mm wide, adjustable on site
- 150 mm deep, rails ø 33 mm, rose ø 70 mm
- backrest 370 mm wide and 334 mm high
- backrest made of synthetic material in HEWI colours 98 (signal white), 92 (anthracite grey) and 90 (jet black)
- connection made of high-quality stainless steel with satin surface finish
- fulfils requirements according to DIN 18040 and ÖNORM B 1600/1601

805.51.926R

right handed version (from users point of view)

- handle right, rose left

805.51.926L

left handed version


- handle left, rose right

Attention: Fixing material for backrest rail BM1...2.2 on handle side order separately according to the table (see right below)


Supplied only with HEWI fixing material.

Available from 1st December 2020

Please note: Not mountable on mobile hinged support rails.



right handed version

**HEWI Backrest rail**

- with right-angled fixing rails on each side and rose fixing on one side
- user-friendly wall distance of 230 mm
- one-sided wall mounting with rose
- one-sided mounting on hinged or stationary support rail with wall mounting plate
- c to c 650 to 750 mm wide, adjustable on site
- 230 mm deep, rails ø 33 mm, rose ø 70 mm
- backrest 370 mm wide and 334 mm high
- backrest made of synthetic material in HEWI colours 98 (signal white), 92 (anthracite grey) and 90 (jet black)
- connection made of high-quality stainless steel with satin surface finish

805.51.927R**right handed version** (from users point of view)

- handle right, rose left

805.51.927L**left handed version**

- handle left, rose right

Attention: Fixing material for backrest rail BM1...2.2 on handle side order separately according to the table (see below)

Supplied only with HEWI fixing material.

Available from 1st December 2020

Fixing material for backrest rail on hinged support rail:**Hinged support rail**

BM10.2, BM17.2
BM11.2, BM18.2
BM12.2
BM13.2

Backrest rail

both sides (for 805.51.906, ...907)

BM10.2.1
BM11.2.1
BM12.2.1
BM13.2.1

Backrest rail

one-sided (for 805.51.926L/R, 805.51.927L/R)

BM10.2.2
BM11.2.2
BM12.2.2
BM13.2.2

Please note: Not mountable on mobile hinged support rails.


MOBILE HINGED SUPPORT RAILS

NECESSARY


OPTIONAL
SEPARATELY

Polyamide


CE




801.50.2...7




⊕ 801.50D2...7




801.50.1...7 | rotatable




⊕ 801.50D1...7 | rotatable




801.50.2...8



801.50.1...8 | rotatable




801.50.2...5S




801.50.1...5S | rotatable

Polyamide, matt edition


CE



801.50B2...7




801.50B1...7 | rotatable




801.50B2...8



801.50B1...8 | rotatable




801.50B2...5S




801.50B1...5S | rotatable

Stainless steel, satin finished

CE



805.50.2...1



805.50.1...1 | rotatable

+

+

+



950.50.016
· made of stainless steel,
satin finished

OPTIONAL

OPTIONAL

OPTIONAL



950.50.01790
· cover for covering fixed
mounting plates
· made of synthetic material
in HEWI colours 98 (signal
white) or 99 (pure white)



950.50.017XA
· do., face plate made of stainl.
steel, satin finished, frame in
HEWI colours 99, 98, 92, 90

OR SET
NECESSARY FOR ALL
**OPTIONAL
UPGRADE PRODUCTS**

OR


950.50.10190

- set of mounting plate 950.50.016 and cover 950.50.01790

OR


950.50.101XA

- set of mounting plate 950.50.016 and cover 950.50.017XA

+

BM17.2

For fixing on walls made of concrete (> C20/C25)
National technical approval number:
ETA-11/0493

Additionally:

- injection mortar (HEWI item No.: 200311)
- or to be provided on site:
- injection mortar HIT-HY200A (Hilti)
- extrusion tool HDM (Hilti)

BM10.2

For fixing on walls made of concrete (> C20/C25)

BM11.2

For fixing on walls made of autoclaved aerated concrete (> P2)

Additionally:

- injection mortar (HEWI item No.: 200266)
- conical drill bit (HEWI item No.: 171041)
- or to be provided on site:
- injection mortar HIT-HY 270 (Hilti)
- extrusion tool HDM (Hilti)
- conical drill bit TE-C PB 22/100 (Hilti)

BM12.2

For fixing on lightweight walls with rear lining made of laminated timber boards (with waterproof bonding, at least 30 mm thick required, e.g. studs or prewall installation)

+

BM13.2

For fixing on lightweight walls with integrated steel plates (e.g. studs or pre wall installation)

BM18.2

For fixing on walls made of:

- solid bricks
- perforated calcium silicate block
- hollow concrete block
- vertically perforated bricks
- hollow lightweight concrete block
- lightweight aggregate concrete with open structure

National technical approval number:
ETA-13/1036

Additionally:

- injection mortar (HEWI item No.: 200266)
- or to be provided on site:
- injection mortar HIT-HY 270 (Hilti)
- extrusion tool HDM (Hilti)

+

OPTIONAL

see page 45

801.50.010
801.50.011

- Toilet roll holder

801.50.060

- WC flushing mechanism (radio-controlled)

950.50.021XA
950.50.023XA

- Floor support

for active+

see page 45

⊕ 801.50D010
⊕ 801.50D011

- Toilet roll holder

⊕ 801.50D060

- WC flushing mechanism (radio-controlled)

OPTIONAL

for matt edition

see page 45

801.50B010
801.50B011

- Toilet roll holder

801.50B060

- WC flushing mechanism (radio-controlled)

950.50B021XA
950.50B023XA

- Floor support

OPTIONAL

see page 55

805.50.015

- Toilet roll holder

805.50.060

- WC flushing mechanism (radio-controlled)

950.50.022XA
950.50.024XA

- Floor support

International terms and conditions of sale

§ 1 Applicability of these International Terms and Conditions of Sale

(1) The terms and conditions set out in these International Terms and Conditions of Sale, which form an integral part of the Contract of Sale, apply to all Contracts of Sale concluded as of 2 January 2020 if the buyer's relevant place of business is outside of Germany. These International Terms and Conditions of Sale apply exclusively. The buyer's terms and conditions which conflict or differ from these International Terms and Conditions of Sale and/or from the legal provisions do not apply, even if we do not object to them or render performance or accept the buyer's performance.

(2) These Terms and Conditions of Sale do not apply if the goods are bought for personal, family or household use and we knew or ought to have known at any time before or at conclusion of the Contract of Sale that the goods were bought for any such use. The buyer declares that the goods are not bought for personal, family or household use.

§ 2 Formation of the Contract of Sale

(1) A Contract of Sale always requires a written order of the buyer.

(2) We may accept the buyer's written order with our order acknowledgement (hereinafter the "Order Acknowledgement") within 10 (ten) calendar days after receipt of the buyer's order.

§ 3 Applicable Law

(1) The Contract of Sale is governed by the United Nations Conventions of 11 April 1980 on Contracts for the International Sale of Goods (UN Sales Convention/ CISG) in the English version and all legal questions beyond the scope of the CISG are governed by the Swiss law of obligations (Obligationenrecht). The CISG also applies to all agreements as to the jurisdiction of courts and arbitral tribunals.

(2) Should commercial terms be used the Incoterms® 2020 of the International Chamber of Commerce apply taking into account the provisions stipulated in these International Terms and Conditions of Sale.

§ 4 Specifications of the goods; Third party rights

(1) The goods to be delivered have to conform to the specifications and quality requirements set out in the Order Acknowledgement. To the extent no specifications or quality requirements are stated in the Order Acknowledgement, the goods conform with the contract if they are fit for the purpose which is usual in Germany and fit for the purpose for which goods of the same description are usually used for in Germany. Unless otherwise explicitly agreed to, the goods do not have to conform to any laws or regulations existing outside of Germany. Should the conformity of the goods depend on the field of application of the goods, the buyer shall also be responsible for ensuring that the goods are suitable for the purpose intended by him.

(2) Should the buyer intend to use the goods in circumstances which are unusual or which could entail a particular risk to the safety and health of any person or to the environment, the buyer has to inform us in writing about these intentions before concluding the Contract of Sale.

(3) Rights and claims of third parties (in particular rights and claims based on title or industrial property rights) only constitute a defect in title if these rights and/or claims are in force and registered in Germany and impede the use of the goods in Germany.

§ 5 Obligation to deliver; Passing of risk

(1) We have to deliver the goods referred to in the Order Acknowledgement including a packaging that is suitable for the means of transportation.

(2) Delivery has to be made FCA Incoterms 2020 at our premises in 34454 Bad Arolsen/Germany. We are not obliged to contract for carriage and we are not obliged to inform the buyer that the goods have been delivered or that the carrier or another person nominated by the buyer has failed to take the goods within the time agreed. We are however entitled to contract for carriage in our own name at the buyer's risk and expense; the costs resulting therefrom will be charged to the buyer with the invoice. We are also entitled to contract for carriage on behalf of the buyer at the buyer's risk and expense. In all such instances where we contract for carriage at buyer's risk and expense, the place of performance for delivery will be 34454 Bad Arolsen/Germany.

(3) Adherence to the delivery date respectively the delivery period stated in the Order Acknowledgement is not of the essence and non-adherence to the delivery date or the delivery period respectively does not constitute a fundamental breach of contract. If delivery periods are agreed to, we reserve the right to determine the exact delivery time within the delivery period.

(4) All delivery dates and delivery periods are dependent upon the buyer performing all of his obligations in due time. In particular, the buyer has to procure or confirm any necessary permits, drawings etc. and make agreed payments in due time.

(5) We are entitled to make partial deliveries and to invoice these separately.

(6) The passing of risk takes place with delivery in accordance with § 5 sec. 2. Should the buyer fail to take delivery, the risk passes at the time the buyer fails to take delivery.

(7) In addition to our statutory rights we are entitled to suspend the performance of our obligations if there are reasonable indications that the buyer will not perform his obligations under the Contract of Sale, in particular not be able to pay the agreed price in due time.

§ 6 Delivery Note, Invoice and other documents

(1) We will provide the buyer with a delivery note issued according to our standard.

(2) Irrespective of the Incoterms-clause used, we are not obliged to clear the goods for export. We will however at the buyer's risk and expense apply for any necessary export licences and formalities as regards customs provided that the buyer has provided us with all necessary information.

(3) We will provide the buyer only with such documents explicitly stated on the Order Acknowledgement.

§ 7 Force Majeure

Any inability to supply as a result of force majeure or other unforeseen incidents outside our responsibility including, without limitation, strike, lock out, acts of public authorities, subsequent cease of export or import opportunities shall, for their duration and in accordance with their impact, relieve us from the obligation to comply with any agreed delivery period and delivery time as well as any other obligation.

§ 8 Obligation to pay the purchase price

(1) The buyer is obliged to pay the agreed purchase price to the bank account nominated by us. Insofar as pursuant to the Order Acknowledgement the packaging costs are not included in the purchase price, these costs are to be paid in addition to the purchase price. The place of payment is 34454 Bad Arolsen/Germany. Banking fees accrued outside of Germany will be borne by the buyer. The payment shall be made without any deductions and is due for payment on the date or within the time limit as stated on the Order Acknowledgement. A time limit for payment stated on the Order Acknowledgement shall be calculated from the date of invoice. In the absence of any payment dates or time limits stated on the Order Acknowledgement, payment shall be made within 30 (thirty) calendar days after date of invoice. The buyer's acceptance of the goods is no precondition for the payment to become due.

(2) The agreed prices shall exclude any statutory VAT applicable at the date of delivery.

(3) The buyer is only entitled to exercise a lien or to suspend his performance if this is based on the same transaction as well as based on a due and undisputed or finally adjudicated counterclaim of the buyer.

(4) The buyer may only offset any claims insofar as the buyer's counter-claim is acknowledged, undisputed or assessed in a legally binding judgement.

(5) If and till such time the buyer is in arrears with payment of the purchase price, the buyer is obliged to pay interest at the rate of nine (9) percentage points above the base rate of the German Central bank per annum.

§ 9 Non-Conforming goods; Goods with a defect in title

(1) The goods do not conform to the contract if at the time the risk passes they significantly deviate from the requirements set out in § 4 sec. 1 and sec. 2.

(2) The goods are not free from rights or claims of third parties if at the time the risk passes they significantly deviate from the requirements set out in § 4 sec. 3.

§ 10 Duty of examination and notification

(1) Without prejudice to the legal provisions, the buyer is obliged to examine the goods comprehensively in respect of deviations as regards type, quantity, quality and packaging. If necessary, the buyer is obliged to conduct the examination with the help of external third parties.

(2) Notice of non-conformity has to be made in within ten (10) calendar days. For very obvious non-conformities, the period for such notification starts with the delivery of the goods, in all other cases after the buyer has discovered the non-conformity or ought to have discovered it. Notice of non-conformity has to be given in writing. The notice of non-conformity has to clearly indicate and describe the non-conformity in such a way that we can take remedial actions.

(3) Apart from the aforesaid as well as with respect to defects in title, the statutory provisions apply.

§ 11 Limitation Period

Without prejudice to claims resulting from a malicious, grossly negligent or intentional conduct as well as claims due to injury of life, body or health, the buyer's claims in respect of the delivery of non-conforming goods and goods with a defect in title become time-barred one (1) year after delivery of the goods.

§ 12 Remedies in case of non-conforming goods and goods with a defect in title; Limitation of Liability

(1) In case of delivery of non-conforming goods, the buyer can claim delivery of substitute goods, rectification of a non-conformity by repair, reduce the purchase price or declare avoidance of the Contract of Sale only in accordance with the legal provisions. Delivery of substitute goods and rectification of a non-conformity by repair does not include the removal of the non-conforming goods nor the assembly of the repaired or of the substitute goods.

(2) To the extent any costs associated with performing remedies are increased by the fact that the buyer has removed the goods to a place not stated in the Order Acknowledgement or, in the absence of such an indication, to a place other than the buyer's place of business, these costs will be borne by the buyer.

(3) Delivery of substitute goods or repair does not lead to a restart or extension of the limitation period.

(4) If we deliver non-conforming goods or goods with a defect in title or breach any other obligation resulting from the Contract of Sale or the business relationship with the buyer, the buyer is entitled to demand damages only in accordance with the following provisions and any recourse to concurrent bases of claim (in particular of a non-contractual nature) is excluded:

a. We are not liable for the conduct of our suppliers or subcontractors. Neither are we liable for damages to which the buyer has contributed.

b. The buyer has to prove that either our directors or employees or other members of staff have deliberately or negligently breached contractual obligations owed to the buyer.

c. In case of liability, the amount of damages for late delivery is limited to 0,5 per cent for each full week of delay, up to a maximum of 5 per cent of the purchase price of the goods delivered late or not at all, and in case of remedies because of delivery of non-conforming goods and/or goods with a defect in title and in case of all other breaches of obligations is limited to the purchase price of the goods affected.

d. Irrespective of § 12 sec. 5 c), we are not liable for loss of profit.

e. The aforesaid limitations in § 12 sec. 5 do not apply

i. to injury of life, body or health,

ii. if we have acted maliciously, grossly negligent or intentionally,

iii. if we are liable according to mandatory product liability laws, and

iv. to liabilities which may not be excluded or limited according to the applicable laws.

(5) Apart from the aforesaid, the statutory provisions apply.

§ 13 Right to use Software; Rights in documents etc.

(1) In case the goods include software, with the delivery of the goods the buyer is hereby granted a non-exclusive, royalty-free license to use the software, but strictly and only in connection with the goods purchased under this Contract of Sale. With the exception of the right to make one backup copy, the buyer is not entitled to copy the software.

(2) We reserve all intellectual property rights in any documents, pictures, drawings etc. (collectively "Documents") arising in connection with the performance of the obligations arising under the Contract of Sale and such Documents shall belong exclusively to us.

§ 14 Other Provisions

(1) Title of the goods that have been delivered remains with us until all of our claims against the buyer have been settled.

(2) We are not obliged to perform any obligations not stated in the written Order Acknowledgement or in these International Terms and Conditions of Sale.

(3) There are no side agreements to the Contract of Sale.

(4) Any amendments to a concluded Contract of Sale require our written confirmation, duly approved by signature.

(5) The buyer is not entitled to assign his rights and obligations against us to a third party.

(6) The place of performance for delivery is governed in § 5 sec. 2, the place of performance for the payment in § 8 sec.1. For all remaining obligations and irrespective of the agreement of a differing Incoterms-clause, the place of performance is agreed to be 34454 Bad Arolsen/Germany, including for a replacement delivery, for the rectification of non-conformities and for the restitution of the contractual obligations in case of avoidance of the Contract.

(7) All communications, declarations, notices etc. (hereinafter collectively "Notices") are to be drawn up exclusively in German or English. Notices by means of fax or email fulfil the requirement of being in writing. A signature is not required, unless these International Terms and Conditions of Sale explicitly require a signature.

§ 15 Agreement on arbitration and jurisdiction

(1) If the Buyer's place of business is located within the European Economic Area and/or within Switzerland, for all disputes, including disputes under insolvency law, arising out of or in connection with a Contract of Sale and/or these International Terms and Conditions of Sale, including its validity, invalidity, violation or cancellation as well as other disputes arising out of the business relationship between the Buyer and us, the state court which has jurisdiction for 34454 Bad Arolsen/Germany shall have exclusive jurisdiction. Instead of bringing an action before the state court which has jurisdiction for 34454 Bad Arolsen/Germany, we are also entitled to bring an action before the state court of the Buyer's place of business.

(2) If the Buyer's place of business is located outside of both the European Economic Area and Switzerland, all contractual and extra-contractual disputes, including disputes under insolvency law, arising out of or in connection with a Contract of Sale and/or these International Terms and Conditions of Sale, including its validity, invalidity, violation or cancellation as well as other disputes arising out of the business relationship between the Buyer and us shall be finally settled in accordance with the Swiss Rules of International Arbitration of the Swiss Chambers' Arbitration Institution in force on the date on which the Notice of Arbitration is submitted in accordance with these Rules. The place of the arbitration shall be Zurich/Switzerland, the language used in the arbitral proceedings shall be English.

§ 16 Severability

If provisions of these International Terms and Conditions of Sale should be or become partly or wholly ineffective, the remaining provisions will continue to apply. We and the buyer are bound to replace the ineffective provision with a legally valid provision as close as possible to the commercial meaning and purpose of the ineffective provision.



www.hewi.com

GERMANY

HEWI Heinrich Wilke GmbH
Postfach 1260
34442 Bad Arolsen
Phone: +49 5691 82-0
Fax: +49 5691 82-319
international@hewi.com

UNITED KINGDOM

HEWI (UK) Limited
Holm Oak Barn, Beluncle Halt
Stoke Road, Hoo
Rochester, Kent ME3 9NT
Phone: +44 1634 258200
Fax: +44 1634 250099
info@hewi.co.uk
www.hewi.co.uk